

|    | Hits   | Search Text   |
|----|--------|---|
| 1  | 79848  | (framework model) with (restrict\$3 limit\$5 filter\$3 secur\$3)  |
| 2  | 1757   | (hierarchy directory topology) near3 map\$4   |
| 3  | 147299 | (type class\$7 category) with (target destination client user subscriber custommer remote)  |
| 4  | 66     | (end adj end point adj point endpoint adj endpoint) and S6 and S7 and S8  |
| 5  | 62     | S9 and (accord\$4 associat\$2 based correspon\$4) with (route path)   |
| 6  | 29     | (topology) near3 map\$4 and S10   |
| 7  | 5849   | (type class\$7 category) near (service perform\$4 action activity function) with (target destination client user subscriber custommer remote) |
| 8  | 29     | (topology) near3 map\$4 and S10   |
| 9  | 6      | S11 and S12   |
| 10 | 66     | (end adj end point adj point endpoint adj endpoint) and S6 and S7 and S8  |
| 11 | 29     | S11 and S15   |
| 12 | 68     | (end adj end point adj point endpoint adj endpoint ppp) and S6 and S7 and S8  |
| 13 | 85     | (end adj3 end point adj3 point endpoint adj3 endpoint ppp) and S6 and S7 and S8   |
| 14 | 3236   | (hierarchy directory topology) with map\$4  |
| 15 | 105    | (end adj3 end point adj3 point endpoint adj3 endpoint ppp) and S6 and S19 and S8  |
| 16 | 20     | S20 not S18   |
| 17 | 69698  | (framework) same (restrict\$3 limit\$5 filter\$3 secur\$3 privat\$3 intranet vlan)  |
| 18 | 843    | (topology) with map\$4  |
| 19 | 26985  | (type class\$7 category) with (service perform\$4 action activity function) with (target destination client user subscriber custommer remote) |

|    | Hits | Search Text  |
|----|------|--|
| 20 | 13   | (end adj3 end point adj3 point endpoint adj3 endpoint ppp) and S22 and S23 and S24   |
| 21 | 5754 | (framework) same (restrict\$3 limit\$5 filter\$3 secur\$3 privat\$3 intranet vlan).ab.   |
| 22 | 4    | S26 and (virtual logical channel) near3 (path route)   |
| 23 | 1    | (framework).ab. and S23 and (select\$4 identif\$4 detect\$4) with (rout\$4 path link connect\$3 channel) with (new add\$6 alternat\$3 substitut\$5)  |
| 24 | 4    | (framework).ab. and S23 and (select\$4 identif\$4 detect\$4) with (rout\$4 path link connect\$3 channel)   |
| 25 | 14   | (manag\$5).ab. and topology with mapping and select\$4 with route and restrict\$3  |
| 26 | 15   | (manag\$5).ab. and topology with mapping and select\$4 with route and (secur\$3 restrict\$3) same (level type status condition)  |
| 27 | 19   | (manag\$5).ab. and topology with mapping and select\$4 with (path route routing) and (secur\$3 restrict\$3) same (level type status condition)   |
| 28 | 60   | topology with mapping and select\$4 with (path route routing) and (secur\$3 restrict\$3) same (level type status condition)  |
| 29 | 4    | topology with mapping and select\$4 with ((logical virtual) adj (path route routing) vpi vci)and (secur\$3 restrict\$3) same (level type status condition)                                   |
| 30 | 14   | topology with mapping and (detect\$4 identif\$4 select\$4 assign\$3) with ((logical virtual) adj (path route routing) vpi vci) and (secur\$3 restrict\$3) same (level type status condition) |

|    | Hits | Search Text   |
|----|------|---|
| 31 | 15   | topology with mapping and (detect\$4 identif\$4 select\$4 assign\$3) with ((logical virtual) adj (path route routing) vpi vci) and (vlan virtual adj network vpn intranet (secur\$3 restrict\$3) same (level type status condition))  |
| 32 | 18   | topology with mapping and (detect\$4 identif\$4 select\$4 assign\$3) with ((logical virtual) adj3 (path route routing) vpi vci) and (vlan virtual adj network vpn intranet (secur\$3 restrict\$3) same (level type status condition))   |
| 33 | 150  | topology with mapping and (detect\$4 identif\$4 select\$4 assign\$3 discover\$3 enabl\$3) with (path route routing channel link connection vpi vci) and (vlan virtual adj network vpn intranet (secur\$3 restrict\$3) same (level type status condition)same (target desitnation user client end endpoint subscriber remote)) |